



സാനിറ്ററി ഫിറ്റ്നസ് സർട്ടിഫിക്കറ്റ്
(പൊതുജനാരോഗ്യ നിയമം-2022)

1. LSGD.CIRCULAR NO. 66562/RC 3/12/LSGD Dated 10.1.2013
2. G.O.(P)No. 56/20 12P/P&ARD TVM Dated 27.10.12
3. SERVICE ACT. No. O.M. 3/30892/12/DHS Dated 06.06.2014

നമ്പർ 44/25

തീയതി 03/06/25

പാലക്കാട് ജില്ലയിലെ എലപ്പള്ളി താലൂക്ക് ആശുപത്രി ഹെൽത്ത് ഇൻസ്പെക്ടറും, എലപ്പള്ളി ഗ്രാമ പഞ്ചായത്ത് ഹെൽത്ത് ഓഫീസറുമായ ദിരോജിന്. ഓ. എച്ച്. എന്ന ഞാൻ
എന്നിൽ നിക്ഷിപ്തമായ അധികാരപ്രകാരം എ.ജി. ദിരോജിൻ പ്രസാദ്

എന്നയാളുടെ അപേക്ഷ പരിഗണിച്ച് ടിയാന്റെ ഉടമസ്ഥതയിൽ
എലപ്പള്ളി ഗ്രാമ പഞ്ചായത്തിലെ കോളിപ്പറ സ്ഥലത്ത് 9-ാം വാർഡിലെ

694 നമ്പർ കെട്ടിടത്തിൽ നടത്തിവരുന്ന / നടത്താൻ പോകുന്ന "രോമി ലൂസ്"
പ്ലാസ്റ്റിക് നിക്ഷേപം സ്ഥാപനവും പരിസരവും 31-05-25 തീയതി

നേരിട്ട് പരിശോധിച്ചപ്പോൾ ശുചിത്വനിലവാരം തൃപ്തികരമാണെന്ന് ബോദ്ധ്യമായി. എലപ്പള്ളി ഗ്രാമ പഞ്ചായത്തിൽനിന്ന്
ലൈസൻസിനുവേണ്ടി താഴെ പറയുന്ന നിബന്ധനകൾക്കും, വ്യവസ്ഥകൾക്കും വിധേയമായി സ്ഥാപനത്തിന് സാനിറ്ററി ഫിറ്റ്നസ്
സർട്ടിഫിക്കറ്റ് അനുവദിക്കുന്നു

1. പൊതുജനാരോഗ്യ പ്രശ്നമുണ്ടാകാത്ത രീതിയിൽ സ്ഥാപനം പ്രവർത്തിപ്പിക്കണം
2. മാലിന്യം പൊതുജനാരോഗ്യത്തിന് ഹാനികരമല്ലാത്ത വിധത്തിൽ ശാസ്ത്രീയമായി നീക്കം ചെയ്യണം.
3. ജലസ്രോതസ്സുകളും മറ്റു പകർച്ച വ്യാധികൾ ഉണ്ടാകാത്ത വിധത്തിൽ സംരക്ഷിക്കണം.
4. ജീവനക്കാർ പകർച്ച വ്യാധികളിൽനിന്നും മുക്തരാണെന്ന് ഉറപ്പ് വരുത്തണം
5. സ്ഥാപനവും പരിസരവും പകർച്ച വ്യാധികൾ ഉണ്ടാകാത്ത രീതിയിൽ സംരക്ഷിക്കണം
6. ഈ സ്ഥാപനത്തിൽനിന്നും ജലം, വായു, ശബ്ദ-മലിനീകരണം ഉണ്ടാക്കുന്ന പ്രവർത്തനം പാടില്ല.
7. ***പുകയില വില്പന*** സൈൻബോർഡ് പ്രദർശിപ്പിക്കേണ്ടതും, സ്ഥാപനം പുകയിലമുക്തമാണെന്ന് ഉറപ്പ് വരുത്തേണ്ടതാണ്.
8. ഇതര സംസ്ഥാന തൊഴിലാളികൾ സ്ഥാപനത്തിൽ ഉണ്ടെങ്കിൽ അടുത്തുള്ള പ്രാഥമിക ആരോഗ്യ കേന്ദ്രത്തിലെ മെഡിക്കൽ ഓഫീസറെ അറിയിക്കേണ്ടതാണ്.
9. പ്ലാസ്റ്റിക് മാലിന്യം പരിസരത്ത് കത്തിക്കുകയോ, വലിച്ചുറിയുകയോ ചെയ്യരുത്.
10. ദാവിയിൽ എന്തെങ്കിലും തരത്തിലുള്ള വികസന പ്രവർത്തനങ്ങൾക്ക് ഈ ഓഫീസിൽനിന്നും ലഭിക്കുന്ന അനുമതിക്ക് വിധേയമായിരിക്കണം.
11. മുകളിൽ പറഞ്ഞ നിബന്ധനകളിൽ എന്തെങ്കിലും പാലിക്കാതെ വന്നാൽ മറ്റൊരു അറിയിപ്പ് കൂടാതെ സാനിറ്ററി സർട്ടിഫിക്കറ്റ് റദ്ദ് ചെയ്യുന്നതാണ്.
11. മുകളിൽ പറഞ്ഞ നിബന്ധനകളിൽ എന്തെങ്കിലും പാലിക്കാതെ വന്നാൽ മറ്റൊരു അറിയിപ്പ് കൂടാതെ സാനിറ്ററി സർട്ടിഫിക്കറ്റ് റദ്ദ് ചെയ്യുന്നതാണ്.
12. ഗവൺമെന്റ് നിരോധിക്കപ്പെട്ട പ്ലാസ്റ്റിക് ഉൽപ്പന്നങ്ങൾ സ്ഥാപനത്തിൽ പ്രദർശിപ്പിക്കുവാനോ, വിൽക്കുവാനോ അനുവദിക്കുന്നതല്ല. ഇക്കാര്യം ശ്രദ്ധയിൽപ്പെട്ടാൽ നിയമനടപടികൾ നേരിടേണ്ടതാണ്.

തീയതി 03/06/25

സ്ഥലം എലപ്പള്ളി

മെഡിക്കൽ ഓഫീസർ

SMITHA P KRISHNAN
Principal

Ahalia Public School, Palakkad- 678557
Aff. No: 930850

HEALTH INSPECTOR
TALUK HOSPITAL
ELAPPULLY



**KERALA WATER AUTHORITY
QUALITY CONTROL DISTRICT LABORATORY
KALMANDAPAM PALAKKAD**

Telephone No - 0491-2545550, E-mail - kwaqc.palakkad@yahoo.com

Test Report



2004

Test Report No. : KWA/QCDL/PKD/2004/2025

ULR No.: TC9688250000001906F

Report Date: 13-06-2025

Customer Name & Address		1. Date of receipt : 06-06-2025		
Ahalia Public School Principal Ahalia Public School Kozhippara (Po) Palakkad-678557		2. Sampling done by : The Customer		
		3. UID No.of Sample: KWA/QCDL/PKD/S-2004/2025		
		4. Source of sample : Open Well		
		5. Sample condition : Good		
		6. Name of sample : Drinking water		
		7. Purpose of test : Commercial		
		8. Sample quantity : 2 Litre		
		9. Test performing dates		
		From : 09-06-2025 To: 09-06-2025		
Sl. No.	Characteristics	Test Method	Maximum Acceptable limit as per IS 10500 - 2012	Result
1	Colour, Hazen units	IS 3025 (part 4) : 2021 Platinum cobalt (visual comparison method)	5	5.0
2	Turbidity, NTU	IS 3025 (part 10) : 2023 Nephelometric Method	1	0.04
3	pH at 25°C	IS 3025 (part 11) : 2022 ISO 10523 : 2008	6.5 to 8.5	7.76
4	Electrical Conductivity at 25°C, micro mhos/cm	IS 3025 (part 14) : 2013 (Reaffirmed 2023)	-	38.17
5	Total Alkalinity (as CaCO ₃), mg/l	IS 3025 (part 23) : 2023 Indicator Method	200	10.40
6	Sulphates (as SO ₄), mg/l	IS 3025(part 24/Sec 1) : 2022 Turbidity Method	200	6.88
7	Total Dissolved Solids at 180°C, mg/l	IS 3025 (part 16) : 2023 Gravimetric Method	500	20.28
8	Total Hardness (as CaCO ₃), mg/l	IS 3025 (part 21) : 2009 (Reaffirmed 2023) EDTA Method	200	10.00
9	Calcium (as Ca), mg/l	IS 3025 (part 40) : 2024 EDTA Titrimetric Method	75	1.61
10	Magnesium (as Mg), mg/l	IS 3025(Part 46) : 2023 Volumetric Method Using EDTA	30	1.45

Continue on page 2

KWA/QCDL/PKD-No:6	Issue No:3	Issue Date 01/03/2025
Amend.No: 01	Amend Date: 29/04/2025	Page 1 of 2

SMITHA P KRISHNAN
Principal
Ahalia Public School, Palakkad- 678557
Aff. No: 930850

Test Report No. :KWA/QCDL/PKD/ 2004/2025

Report Date: 13-06-2025

Sl. No.	Characteristics	Test Method	Maximum acceptable limit as per IS 10500-2012	Result
11	Chloride (as Cl), mg/l	IS 3025 (part 32) : 1988 (Reaffirmed 2019) Argentometric Method	250	5.82
12	Fluoride (as F), mg/l	APHA 24th Edition 4500 - F ⁻ D. SPADNS Method	1	0.10
13	Nitrate (as NO ₃), mg/l	APHA 24th Edition 4500 - NO ₃ ⁻ B. Ultraviolet Spectrophotometric Screening Method	45	0.01
14	Iron (as Fe), mg/l	IS 3025 (Part 53) : 2024 1,10 Phenanthroline Method	1	0.18

Remarks:-


NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

844
ASWATHY.S
Reviewed & Analysed by:

TECHNICAL MANAGER
KERALA WATER AUTHORITY
OCDL PALAKKAD-010004

* End of Report *

KWA/QCDL/PKD-R.No:6	Issue No:3	Issue Date : 01/03/2025
Amend.No: 01	Amend Date: 29/04/2025	Page 2 of 2



SMITHA P KRISHNAN
Principal
Ananta Public School, Palakkad-078527
Mob No: 938920



KERALA WATER AUTHORITY
QUALITY CONTROL DISTRICT LABORATORY
KALMANDAPAM PALAKKAD
Telephone No - 0491-2545550, E-mail - kwaqc.palakkad@yahoo.com

Test Report

Test Report No. :KWA/QCDL/PKD/2004/2025

Report Date: 13-06-2025

Customer Name & Address Ahalia Public School Principal Ahalia Public School Kozhippara (Po) Palakkad-678557		1. Date of receipt : 06-06-2025		
		2. Sampling done by : The Customer		
		3. UID No.of Sample: KWA/QCDL/PKD/S-2004/2025		
		4. Source of sample : Open Well		
		5. Sample condition : Good		
		6. Name of sample : Drinking water		
		7. Purpose of test : Commercial		
		8. Sample quantity : 2 Litre		
		9. Test performing dates		
		From : 09-06-2025 To: 09-06-2025		
Sl. No.	Characteristic	Test Method	Maximum acceptable limit as per IS 10500 - 2012	Result
1	Acidity, mg/l	IS 3025 (Part22) : 2024 Indicator Method	—	2.0

Remarks:-


NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

SMITHA P KRISHNAN
Principal
Ahalia Public School, Palakkad- 678557
Aff. No: 930850

ASWATHY.S
Reviewed & Analysed by:
TECHNICAL MANAGER
KERALA WATER AUTHORITY
QCDL PALAKKAD-678 001

* End of Report *

KWA/QCDL/PKD-R-No:6	Issue No:3	Issue Date 01/03/2025
Amend.No: 01	Amend Date: 29/04/2025	Page 1 of 1





KERALA WATER AUTHORITY
QUALITY CONTROL DISTRICT LABORATORY
KALMANDAPAM PALAKKAD
Telephone No - 0491-2545550, E-mail -kwaqc.palakkad@yahoo.com

Test Report


Test Report. No : KWA/QCDL/PKD/2004/2025


Report Date : 13-06-2025

Customer Name & Address Ahalia Public School Principal Ahalia Public School Kozhippara (Po) Palakkad-678557			1. Date of receipt : 06-06-2025	
			2. Sampling done by : The Customer	
			3. UID No.of Sample: KWA/QCDL/PKD/S-2004/2025	
			4. Source of sample : Open Well	
			5. Sample condition : Good	
			6. Name of sample : Drinking water	
			7. Purpose of test : Commercial	
			8. Sample quantity : 100ml	
			9. Test performing dates From : 10-06-2025 To: 11-06-2025	
Sl. No.	Parameters	Test Method	Acceptable limits as per-IS 10500-2012	Result
1	Total Coliforms	IS 15185 : 2016 ISO 9308-1:2014 (Reaffirmed 2021)	Shall not be detected / 100ml	Not Detected
2	E. Coli	IS 15185 : 2016 ISO 9308-1:2014 (Reaffirmed 2021)	Shall not be detected / 100ml	Not Detected

Remarks:-


NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.


Analysed by: Susmitha
TECHNICAL MANAGER
KERALA WATER AUTHORITY
QCDL PALAKKAD-678 001


Authorized by
DY. QUALITY MANAGER
KERALA WATER AUTHORITY
QCDL PALAKKAD-678 001

* End of Report *

KWA/QCDL/PKD/R.No.: 6	Issue No: 01	Issue Date : 01/03/2025
Amend.No.: 01	Amend. Date: 29/04/2025	Page 1 of 1


SMITHA P KRISHNAN
Principal
Ahalia Public School, Palakkad- 678557
Aff. No: 930850

